


STATE PROFILES

Maine



Deaths reported to DAWN

Drug misuse 115
Suicide 23

State population, 2003

1,305,728

Population covered by DAWN

1,305,728

Percent of population covered by DAWN

100%


State overview: Deaths and population by county, 2003

Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (16)	115	88.1	23	17.6	1,305,728
1. Androscoggin County	5	47.1	2	18.8	106,115
2. Aroostook County	3	40.9	1	13.6	73,428
3. Cumberland County*	35	129.2	6	22.1	270,923
4. Franklin County	4	134.4	0	0.0	29,763
5. Hancock County	5	94.7	0	0.0	52,792
6. Kennebec County	11	91.9	3	25.1	119,683
7. Knox County	4	99.0	2	49.5	40,406
8. Lincoln County	2	57.6	0	0.0	34,729
9. Oxford County	2	35.6	1	17.8	56,151
10. Penobscot County	17	115.7	3	20.4	146,982
11. Piscataquis County	3	172.5	0	0.0	17,394
12. Sagadahoc County*	0	0.0	1	27.4	36,455
13. Somerset County	4	78.2	0	0.0	51,154
14. Waldo County	2	52.3	0	0.0	38,248
15. Washington County	4	119.5	2	59.7	33,479
16. York County*	14	70.7	2	10.1	198,026

* Included in metropolitan area profiles.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse	Deaths
Health care facility	36
Home	59
Public place	--
Other	18
Not documented	0
Suicide	Deaths
Health care facility	--
Home	15
Public place	0
Other	5
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	103	Any drug-related cause	21
Abuse	--	Abuse	0
Drug or alcohol	103	Drug or alcohol	21
Toxic effects	100	Toxic effects	21
Body systems (includes infections)	25	Body systems (includes infections)	0
Accidents and injuries	--	Accidents and injuries	--

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	17	--	115	40	23	4
Alcohol ²			27	0	6	0
Cocaine	13	--	13	--	0	0
Marijuana	--	--	--	0	0	0
Stimulants	--	--	--	0	0	0
Club drugs ³	0	--	0	0	0	0
Hallucinogens ⁴	--	--	--	0	0	0
Inhalants	0	--	0	0	0	0
Antidepressants			24	--	8	0
Antipsychotics			10	0	5	0
Benzodiazepines			16	0	7	0
Misc. anxiolytics, sedatives, and hypnotics			--	0	5	0
Opiates/opioids			102	35	12	--
Heroin (specified)	--	--	--	0	0	0
Methadone			47	17	--	0
All other opiates/opioids			66	18	11	--
Nonsteroidal anti-inflammatory agents			0	0	--	0
Salicylates/combinations			0	0	--	0
Misc. analgesics/combinations			5	0	6	0
Anticonvulsants			5	0	--	0
Muscle relaxants			--	0	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Maryland



Deaths reported to DAWN

Drug misuse 697
Suicide 21

State population, 2003

5,508,909

Population covered by DAWN

5,508,909

Percent of population covered by DAWN

100%


State overview: Deaths and population by county, 2003

Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (24)	697	126.5	21	3.8	5,508,909
1. Allegany County	10	135.7	1	13.6	73,668
2. Anne Arundel County*	38	75.0	1	2.0	506,620
3. Baltimore City*	305	485.2	4	6.4	628,670
4. Baltimore County*	120	154.4	3	3.9	777,184
5. Calvert County*	5	59.4	0	0.0	84,110
6. Caroline County	4	129.6	0	0.0	30,861
7. Carroll County*	15	91.9	1	6.1	163,207
8. Cecil County*	10	107.8	1	10.8	92,746
9. Charles County*	10	75.2	1	7.5	133,049
10. Dorchester County	3	98.0	0	0.0	30,612
11. Frederick County*	11	51.5	0	0.0	213,662
12. Garrett County	1	33.3	0	0.0	30,049
13. Harford County*	33	142.1	1	4.3	232,175
14. Howard County*	23	87.0	2	7.6	264,265
15. Kent County	0	0.0	0	0.0	19,680
16. Montgomery County*	32	34.8	4	4.4	918,881
17. Prince George's County*	41	48.9	1	1.2	838,716
18. Queen Anne's County*	4	90.7	0	0.0	44,108
19. Somerset County	2	78.6	0	0.0	25,447
20. St. Mary's County	3	32.3	0	0.0	92,754
21. Talbot County	4	115.4	0	0.0	34,670
22. Washington County	7	51.2	0	0.0	136,796
23. Wicomico County	8	91.6	1	11.4	87,375
24. Worcester County	8	161.3	0	0.0	49,604

* Included in metropolitan area profiles.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		235
Home		312
Public place		12
Other		138
Not documented		0
Suicide		Deaths
Health care facility		5
Home		12
Public place		--
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	676	Any drug-related cause	21
Abuse	0	Abuse	0
Drug or alcohol	676	Drug or alcohol	21
Toxic effects	659	Toxic effects	21
Body systems (includes infections)	29	Body systems (includes infections)	--
Accidents and injuries	21	Accidents and injuries	--

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	281	20	697	97	21	--
Alcohol ²			269	12	7	--
Cocaine	277	20	277	20	0	--
Marijuana	--	0	--	0	0	--
Stimulants	0	0	0	0	0	--
Club drugs ³	0	0	0	0	0	--
Hallucinogens ⁴	--	0	--	0	0	--
Inhalants	0	0	0	0	0	--
Antidepressants			177	--	13	--
Antipsychotics			35	--	0	--
Benzodiazepines			46	0	--	--
Misc. anxiolytics, sedatives, and hypnotics			108	0	7	--
Opiates/opioids			595	57	7	--
Heroin (specified)	--	0	--	0	0	--
Methadone			146	15	--	--
All other opiates/opioids			518	42	5	--
Nonsteroidal anti-inflammatory agents			0	0	0	--
Salicylates/combinations			--	--	--	--
Misc. analgesics/combinations			93	--	11	--
Anticonvulsants			5	0	--	--
Muscle relaxants			14	0	--	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

New Hampshire



Deaths reported to DAWN

Drug misuse 113
Suicide 26

State population, 2003

1,287,687

Population covered by DAWN

1,287,687

Percent of population covered by DAWN

100%


State overview: Deaths and population by county, 2003

Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (10)	113	87.8	26	20.2	1,287,687
1. Belknap County	4	66.3	3	49.7	60,356
2. Carroll County	3	65.0	1	21.7	46,134
3. Cheshire County	5	65.8	1	13.2	75,965
4. Coos County	4	121.1	1	30.3	33,019
5. Grafton County	4	47.6	2	23.8	84,038
6. Hillsborough County	30	76.0	8	20.3	394,663
7. Merrimack County	15	104.4	3	20.9	143,622
8. Rockingham County*	31	106.9	6	20.7	290,102
9. Strafford County*	15	127.4	1	8.5	117,740
10. Sullivan County	2	47.6	0	0.0	42,048

* Included in metropolitan area profiles.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		39
Home		56
Public place		10
Other		8
Not documented		0
Suicide		Deaths
Health care facility		4
Home		16
Public place		--
Other		4
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	102	Any drug-related cause	22
Abuse	--	Abuse	0
Drug or alcohol	102	Drug or alcohol	22
Toxic effects	102	Toxic effects	21
Body systems (includes infections)	4	Body systems (includes infections)	--
Accidents and injuries	10	Accidents and injuries	4

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	49	8	113	26	26	7
Alcohol ²			39	--	8	--
Cocaine	29	5	25	--	4	--
Marijuana	17	0	16	0	--	0
Stimulants	--	--	--	--	0	0
Club drugs ³	0	0	0	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	0	0	0	0	0	0
Antidepressants			19	--	10	0
Antipsychotics			--	0	--	0
Benzodiazepines			34	0	8	0
Misc. anxiolytics, sedatives, and hypnotics			--	0	6	--
Opiates/opioids			93	18	8	0
Heroin (specified)	6	--	6	--	0	0
Methadone			34	9	--	0
All other opiates/opioids			60	7	7	0
Nonsteroidal anti-inflammatory agents			0	0	0	0
Salicylates/combinations			--	--	0	0
Misc. analgesics/combinations			--	0	--	0
Anticonvulsants			--	0	--	0
Muscle relaxants			--	0	0	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

New Mexico



Deaths reported to DAWN

Drug misuse 303
Suicide 36

State population, 2003

1,874,614

Population covered by DAWN

1,874,614

Percent of population covered
by DAWN
100%


State overview: Deaths and population by county, 2003

Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (33)	303	161.6	36	19.2	1,874,614
1. Bernalillo County*	141	242.5	14	24.1	581,442
2. Catron County	1	292.8	0	0.0	3,415
3. Chaves County	22	363.1	2	33.0	60,591
4. Cibola County	1	37.8	0	0.0	26,453
5. Colfax County	1	71.2	0	0.0	14,051
6. Curry County	4	88.0	1	22.0	45,440
7. DeBaca County	0	0.0	0	0.0	2,091
8. Dona Ana County	21	115.3	2	11.0	182,165
9. Eddy County	5	97.1	2	38.9	51,470
10. Grant County	6	201.2	0	0.0	29,818
11. Guadalupe County	1	218.6	0	0.0	4,574
12. Harding County	0	0.0	0	0.0	747
13. Hidalgo County	0	0.0	0	0.0	5,234
14. Lea County	4	72.1	0	0.0	55,504
15. Lincoln County	3	147.6	1	49.2	20,322
16. Los Alamos County	3	159.6	0	0.0	18,802
17. Luna County	1	38.9	0	0.0	25,732
18. McKinley County	3	41.3	0	0.0	72,555
19. Mora County	0	0.0	1	191.7	5,216
20. Otero County	7	112.2	2	32.1	62,371
21. Quay County	2	208.2	0	0.0	9,605
22. Rio Arriba County	14	343.7	2	49.1	40,731
23. Roosevelt County	1	55.2	0	0.0	18,107
24. San Juan County	9	73.6	0	0.0	122,272
25. San Miguel County	6	202.2	0	0.0	29,670
26. Sandoval County*	5	50.6	2	20.2	98,786
27. Santa Fe County	24	175.9	4	29.3	136,423
28. Sierra County	3	228.6	0	0.0	13,125
29. Socorro County	2	110.0	0	0.0	18,178
30. Taos County	3	95.9	1	32.0	31,269
31. Torrance County*	0	0.0	0	0.0	16,802
32. Union County	0	0.0	0	0.0	3,814
33. Valencia County*	10	147.4	2	29.5	67,839

* Included in metropolitan area profiles.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		79
Home		153
Public place		25
Other		46
Not documented		0
Suicide		Deaths
Health care facility		5
Home		28
Public place		--
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	296	Any drug-related cause	36
Abuse	11	Abuse	--
Drug or alcohol	295	Drug or alcohol	36
Toxic effects	280	Toxic effects	34
Body systems (includes infections)	39	Body systems (includes infections)	--
Accidents and injuries	18	Accidents and injuries	8

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	186	61	303	99	36	13
Alcohol ²	--	--	108	--	12	0
Cocaine	113	31	110	31	--	0
Marijuana	--	0	--	0	0	0
Stimulants	22	9	22	9	0	0
Club drugs ³	--	--	--	--	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	--	--	--	--	--	--
Antidepressants	--	--	37	4	15	5
Antipsychotics	--	--	6	0	--	--
Benzodiazepines	--	--	33	0	--	0
Misc. anxiolytics, sedatives, and hypnotics	--	--	14	0	--	0
Opiates/opioids	--	--	218	48	14	--
Heroin (specified)	73	17	73	17	0	0
Methadone	--	--	36	9	--	0
All other opiates/opioids	--	--	125	22	11	--
Nonsteroidal anti-inflammatory agents	--	--	5	0	--	0
Salicylates/combinations	--	--	--	0	--	--
Misc. analgesics/combinations	--	--	8	0	--	0
Anticonvulsants	--	--	--	0	--	0
Muscle relaxants	--	--	10	0	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Utah



Deaths reported to DAWN

Drug misuse 326
Suicide 45

State population, 2003

2,351,467

Population covered by DAWN

2,351,467

Percent of population covered by DAWN
100%


State overview: Deaths and population by county, 2003

Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (29)	326	138.6	45	19.1	2,351,467
1. Beaver County	1	163.8	0	0.0	6,105
2. Box Elder County	2	44.9	1	22.5	44,504
3. Cache County	4	41.8	0	0.0	95,664
4. Carbon County	6	303.6	1	50.6	19,764
5. Daggett County	0	0.0	0	0.0	889
6. Davis County*	21	82.2	1	3.9	255,597
7. Duchesne County	2	134.7	0	0.0	14,846
8. Emery County	2	187.8	0	0.0	10,651
9. Garfield County	0	0.0	0	0.0	4,542
10. Grand County	0	0.0	0	0.0	8,759
11. Iron County	7	195.9	0	0.0	35,741
12. Juab County*	0	0.0	0	0.0	8,792
13. Kane County	3	496.8	0	0.0	6,039
14. Millard County	3	240.9	0	0.0	12,455
15. Morgan County*	1	133.0	0	0.0	7,518
16. Piute County	0	0.0	0	0.0	1,380
17. Rich County	0	0.0	1	495.3	2,019
18. Salt Lake County*	175	189.3	30	32.5	924,247
19. San Juan County	0	0.0	0	0.0	13,901
20. Sanpete County	2	84.4	1	42.2	23,689
21. Sevier County	1	52.3	1	52.3	19,103
22. Summit County*	4	121.1	2	60.6	33,020
23. Tooele County*	5	104.2	1	20.8	47,965
24. Uintah County	3	114.1	0	0.0	26,296
25. Utah County*	52	130.6	2	5.0	398,059
26. Wasatch County	0	0.0	0	0.0	17,509
27. Washington County	11	105.6	2	19.2	104,132
28. Wayne County	0	0.0	0	0.0	2,454
29. Weber County*	21	102.0	2	9.7	205,827

* Included in metropolitan area profiles.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		89
Home		200
Public place		19
Other		17
Not documented		--
Suicide		Deaths
Health care facility		7
Home		31
Public place		5
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	325	Any drug-related cause	43
Abuse	12	Abuse	0
Drug or alcohol	325	Drug or alcohol	43
Toxic effects	319	Toxic effects	42
Body systems (includes infections)	40	Body systems (includes infections)	--
Accidents and injuries	7	Accidents and injuries	24

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	171	10	326	24	45	7
Alcohol ²			63	0	14	0
Cocaine	91	--	87	--	4	--
Marijuana	12	0	12	0	0	0
Stimulants	72	0	66	0	6	0
Club drugs ³	--	0	--	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	5	0	4	0	--	0
Antidepressants			103	--	19	--
Antipsychotics			12	0	5	0
Benzodiazepines			84	0	11	0
Misc. anxiolytics, sedatives, and hypnotics			81	--	17	--
Opiates/opioids			270	19	20	--
Heroin (specified)	33	7	33	7	0	0
Methadone			93	10	--	0
All other opiates/opioids			188	--	20	--
Nonsteroidal anti-inflammatory agents			5	0	--	0
Salicylates/combinations			--	0	0	0
Misc. analgesics/combinations			30	--	13	--
Anticonvulsants			16	0	--	0
Muscle relaxants			50	0	6	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Vermont



Deaths reported to DAWN

Drug misuse 74
Suicide 14

State population, 2003

619,107

Population covered by DAWN

619,107


Percent of population covered by DAWN
100%

State overview: Deaths and population by county, 2003

Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (14)	74	119.5	14	22.6	619,107
1. Addison County	2	54.3	0	0.0	36,835
2. Bennington County	4	107.6	0	0.0	37,178
3. Caledonia County	4	133.6	1	33.4	29,940
4. Chittenden County	23	154.4	2	13.4	148,990
5. Essex County	0	0.0	0	0.0	6,569
6. Franklin County	7	148.9	1	21.3	47,023
7. Grand Isle County	0	0.0	1	133.5	7,490
8. Lamoille County	0	0.0	0	0.0	24,284
9. Orange County	5	171.9	1	34.4	29,081
10. Orleans County	4	147.6	0	0.0	27,103
11. Rutland County	8	126.0	3	47.2	63,504
12. Washington County	9	153.0	2	34.0	58,836
13. Windham County	5	112.7	2	45.1	44,379
14. Windsor County	3	51.8	1	17.3	57,895

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003



Place of death, 2003

Drug misuse		Deaths
Health care facility		35
Home		30
Public place		--
Other		6
Not documented		0
Suicide		Deaths
Health care facility		5
Home		6
Public place		0
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	55	Any drug-related cause	11
Abuse	--	Abuse	0
Drug or alcohol	55	Drug or alcohol	11
Toxic effects	45	Toxic effects	10
Body systems (includes infections)	15	Body systems (includes infections)	--
Accidents and injuries	12	Accidents and injuries	--

Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	18	--	74	24	14	8
Alcohol ²			19	--	--	0
Cocaine	11	--	11	--	0	0
Marijuana	--	--	--	0	0	0
Stimulants	0	--	0	0	0	0
Club drugs ³	--	--	--	0	0	0
Hallucinogens ⁴	0	--	0	0	0	0
Inhalants	0	--	0	0	0	0
Antidepressants			9	--	5	--
Antipsychotics			0	0	--	--
Benzodiazepines			9	0	--	0
Misc. anxiolytics, sedatives, and hypnotics			6	0	--	0
Opiates/opioids			54	12	--	0
Heroin (specified)	4	--	4	--	0	0
Methadone			12	--	--	0
All other opiates/opioids			41	8	--	0
Nonsteroidal anti-inflammatory agents			0	0	0	0
Salicylates/combinations			--	0	--	--
Misc. analgesics/combinations			--	--	--	0
Anticonvulsants			--	0	0	0
Muscle relaxants			--	0	0	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

